

Saskatchewan - 2009 Percent of seeded acres by crop reporting district



Canada Western Red Spring

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
5400 IP	0.4	1.5	2.3	0.0	0.9	0.5	0.4	0.0	0.0	0.0	0.0	0.9	0.7	0.0	0.7	0.4	0.0	0.0	0.6	0.0	0.0
5601 HR	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.3	0.0	0.0	0.0
5602 HR	1.6	13.8	2.7	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	3.7	2.1	0.8	1.9	0.0	0.0	2.2	0.0	0.4	3.5
AC Abbey	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AC Barrie	6.9	14.6	5.8	22.6	4.4	6.8	3.7	3.8	7.4	0.0	2.3	3.1	2.9	3.1	12.7	3.6	10.4	7.4	6.1	10.1	7.6
AC Cadillac	1.8	10.9	5.3	2.9	2.0	0.9	0.3	2.6	0.0	1.5	0.8	1.0	1.3	0.3	1.3	1.5	5.6	0.8	0.0	1.0	0.0
AC Domain	0.4	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	4.9	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
AC Eatonia	2.2	0.0	0.0	0.0	0.0	0.0	0.6	3.3	6.4	11.7	31.4	0.0	0.0	4.4	0.8	5.2	0.0	0.0	0.0	0.0	0.0
AC Elsa	2.9	0.0	6.3	0.7	1.3	3.4	6.5	2.3	3.1	0.0	0.0	4.7	1.3	0.7	2.2	0.0	3.4	1.0	7.4	3.2	5.8
AC Intrepid	3.9	0.0	1.2	0.0	1.1	0.0	0.0	2.0	0.0	0.0	0.0	1.2	1.6	1.1	0.9	0.0	1.4	11.6	4.6	12.5	19.5
AC Splendor	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.4	0.0	1.2	14.0	5.2	9.9	4.7
Alvena	0.3	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.2	0.0	0.0	0.0	0.7	0.0	1.5	0.0	0.0	0.3	0.2	1.0	0.0
CDC Abound	0.8	0.7	0.6	0.0	1.7	2.7	0.0	0.4	0.0	0.0	0.0	1.1	0.4	0.8	0.0	0.8	0.0	2.1	0.6	0.7	2.0
CDC Alsask	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.0	0.9	1.9	0.6	0.0	0.3
CDC Bounty	0.2	1.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.7	0.2
CDC Go	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4.0	0.3	0.0	0.0	0.0	0.3	1.8	0.1	0.0
CDC Imagine	4.4	1.3	1.0	0.0	2.5	2.3	5.9	0.3	4.9	0.0	0.5	19.1	8.2	4.4	3.7	0.8	4.5	4.0	7.7	2.8	1.2
CDC Osler	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	1.5	2.6	7.0	0.0
CDC Teal	1.2	0.0	1.9	1.4	6.9	0.0	2.0	0.5	0.6	0.0	0.0	0.5	0.8	0.4	0.3	0.0	0.6	3.6	0.8	1.6	0.8
Columbus	1.5	0.6	0.0	1.3	0.1	1.4	2.3	1.1	0.0	0.0	5.2	0.1	0.0	0.9	1.6	5.2	5.1	0.0	1.5	0.3	3.2
Glenn	0.1	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Harvest	7.3	0.0	8.7	0.3	0.0	4.8	0.0	0.0	0.0	0.0	0.0	13.6	26.8	1.9	6.7	0.0	9.6	11.0	1.0	14.1	18.4
Infinity	6.9	2.0	6.0	0.7	15.0	0.3	2.7	5.9	0.8	1.3	0.0	10.7	7.0	5.3	2.6	0.5	4.1	18.8	9.4	6.0	16.0
Journey	0.1	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
Kane	0.6	1.7	0.3	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.1	0.3	0.0	0.0	0.0	3.5	0.6	0.2	0.2
Lillian	27.7	5.6	15.9	34.3	48.8	24.7	40.1	47.0	60.7	64.7	52.2	15.2	3.6	50.8	33.8	58.8	39.1	0.1	20.3	11.0	3.0
Lovitt	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7
McKenzie	9.8	31.9	23.6	14.6	6.8	16.1	10.7	17.4	5.4	17.3	0.0	5.3	2.9	13.3	9.4	8.9	5.9	4.9	7.8	6.7	5.8
Other	2.6	1.9	1.6	3.6	1.3	17.7	3.4	3.2	1.0	3.5	4.7	1.2	0.7	2.3	2.0	9.3	1.8	1.4	2.4	0.8	1.3
Peace	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prodigy	3.8	3.3	1.7	3.0	1.1	5.2	5.5	0.2	0.0	0.0	0.8	1.9	2.4	2.2	9.5	3.4	1.9	2.4	12.5	6.0	1.6
Somerset	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Superb	7.9	8.1	11.1	11.8	4.9	13.2	15.1	10.2	8.5	0.0	2.2	12.1	22.3	6.1	8.0	1.6	4.1	6.8	6.4	4.0	2.9
% of CWRS	100.0	3.4	5.1	1.9	3.8	2.4	5.8	3.4	1.8	2.1	3.6	6.0	5.3	8.2	8.6	3.6	7.4	8.2	6.0	6.8	6.3

Saskatchewan - 2009 Percent of seeded acres by crop reporting district



Canada Western Amber Durum

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
AC Avonlea	14.7	0.0	0.0	5.3	6.9	16.2	7.3	27.2	19.4	14.8	21.8	18.3	12.7	13.1	15.3	12.1	5.3	0.0	0.0	44.3	0.0
AC Morse	0.1	0.0	0.0	0.0	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0
AC Navigator	9.4	0.0	0.0	4.3	7.0	3.8	10.6	14.0	10.8	14.1	14.9	4.0	0.0	8.6	0.2	7.0	0.0	0.0	0.0	0.0	0.0
Commander	0.4	0.0	0.0	0.0	0.6	0.9	0.0	0.2	0.0	0.0	0.0	2.3	0.0	0.0	0.7	1.4	0.0	0.0	0.0	0.0	0.0
Kyle	11.0	9.4	17.4	23.3	5.9	13.9	32.7	3.2	10.4	7.2	5.4	8.7	0.0	0.5	9.6	2.1	0.0	0.0	0.0	0.0	0.0
Napoleon	0.3	2.7	0.0	0.0	0.0	0.3	0.0	0.0	1.5	0.0	0.4	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other	0.3	0.0	0.0	0.0	0.5	1.4	0.2	0.4	0.5	0.5	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
Strongfield	63.7	88.0	82.6	67.0	78.9	63.5	49.1	54.9	57.4	63.4	57.3	62.3	87.3	76.6	74.2	76.9	94.7	0.0	100.0	55.7	100.0
% of CWAD	100.0	1.9	0.4	3.2	9.1	4.6	17.0	13.7	9.6	4.8	11.8	1.3	0.1	3.8	4.6	13.0	0.8	0.0	0.3	0.1	0.0

Canada Western Hard White Spring

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
Kanata	1.1	0.0	0.0	26.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Snowbird	63.1	33.7	92.3	0.0	85.3	0.0	91.7	100.0	0.0	0.0	0.0	0.0	0.0	90.5	0.0	0.0	100.0	0.0	0.0	100.0	0.0
Snowstar	35.7	66.3	7.7	73.3	14.7	100.0	8.3	0.0	100.0	0.0	100.0	100.0	0.0	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
% of CWHWS	100.0	6.4	10.6	4.3	4.8	3.1	12.9	9.3	1.1	0.0	4.6	13.2	0.0	23.0	0.0	0.0	0.9	0.0	0.0	4.2	0.0

Canada Prairie Spring Red

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
5700 PR	26.9	0.0	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	85.9	0.0	0.0	0.0	27.6	32.5	100.0	26.2	58.3
5701 PR	12.7	0.0	35.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.7	0.0	0.0	26.4	0.0	17.6	0.0
5702 PR	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	4.2	0.0
AC Crystal	51.0	0.0	64.2	0.0	0.0	100.0	0.0	0.0	0.0	100.0	0.0	100.0	0.0	100.0	57.3	100.0	72.4	33.1	0.0	28.1	41.7
AC Foremost	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.1	0.0	0.0	0.0	0.0	0.0	0.0	23.9	0.0
AC Taber	2.2	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
% of CPSR	100.0	0.0	12.1	0.0	0.0	3.2	0.4	2.2	0.0	0.1	0.0	1.5	5.7	1.1	1.9	15.0	5.8	16.9	0.8	17.8	15.5

Saskatchewan - 2009 Percent of seeded acres by crop reporting district



Canada Western Red Winter

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
AC Bellatrix	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67.1	57.3	0.0	0.0	10.0	0.0	0.0	0.0	0.0	9.9	0.0	0.0
CDC Buteo	52.1	56.7	28.8	67.4	86.6	52.1	69.1	0.0	46.6	3.6	30.8	60.4	85.0	61.7	72.5	87.4	100.0	56.9	0.0	100.0	87.0
CDC Clair	8.6	15.6	29.0	32.6	13.4	35.2	0.0	0.0	11.4	0.0	0.0	12.2	0.0	10.9	0.0	0.0	0.0	6.2	0.0	0.0	0.0
CDC Falcon	1.4	0.0	21.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	36.9	0.0	0.0	0.0
CDC Osprey	3.6	0.0	0.0	0.0	0.0	0.0	2.4	14.5	0.0	0.0	0.0	0.0	0.0	5.4	0.0	12.6	0.0	0.0	80.2	0.0	0.0
CDC Raptor	8.5	22.3	0.0	0.0	0.0	0.0	28.5	0.0	0.0	3.8	0.0	25.1	15.0	0.0	14.1	0.0	0.0	0.0	0.0	0.0	0.0
McClintock	0.8	0.0	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Norstar	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	3.0	0.0	0.0	0.0	0.0	9.9	0.0	13.0
Other	0.4	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Radiant	11.9	0.0	0.0	0.0	0.0	12.7	0.0	85.5	41.9	25.5	11.0	0.0	0.0	9.0	13.4	0.0	0.0	0.0	0.0	0.0	0.0
% of CWRW	100.0	7.9	4.0	2.1	2.9	3.9	12.6	3.6	9.1	6.9	9.6	7.3	4.6	15.9	2.2	2.3	0.4	1.0	1.6	1.0	0.7

Canada Western General Purpose

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
CDC Ptarmigan	40.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0	97.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other	59.1	0.0	100.0	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	2.6	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
% of	100.0	0.0	43.2	0.0	0.0	0.0	0.0	5.5	0.0	18.2	0.0	23.3	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Malting -- Two-Row

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
AC Metcalfe	58.6	45.4	63.9	65.5	58.4	71.6	81.3	47.5	52.5	46.7	45.8	56.2	61.5	58.8	52.0	45.7	66.9	73.2	50.3	58.6	67.4
CDC Copeland	27.6	41.7	25.6	29.5	22.5	24.1	9.7	42.2	7.6	46.9	46.4	32.6	26.5	31.2	31.9	27.1	19.7	19.5	31.3	23.5	16.7
CDC Kendall	8.5	0.0	6.3	0.0	11.1	0.0	9.0	5.7	39.8	5.1	0.0	10.3	5.4	7.5	7.6	19.8	7.8	4.3	10.9	7.1	13.7
CDC Select	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0
Harrington	1.2	3.0	1.0	5.0	2.2	4.3	0.0	3.9	0.0	1.3	0.0	0.0	0.0	0.3	2.7	1.2	0.0	0.0	1.6	3.5	2.2
Newdale	3.5	9.9	3.3	0.0	5.8	0.0	0.0	0.7	0.0	0.0	7.8	0.0	6.0	2.1	5.8	0.0	5.0	1.9	5.9	5.3	0.0
Other	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.0	0.0	6.3	0.6	1.2	0.0	0.9	0.0
% of Malting 2R	100.0	3.5	3.1	1.0	6.6	1.1	2.6	2.8	0.6	0.9	1.0	8.2	7.2	16.7	3.4	5.1	8.6	5.8	11.1	7.0	3.1

Saskatchewan - 2009 Percent of seeded acres by crop reporting district



Malting -- Six-Row

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
CDC Battleford	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CDC Clyde	1.8	0.0	0.0	65.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0
CDC Yorkton	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Excel	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.6	1.5	7.5	0.0
Lacey	3.8	0.0	0.0	0.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	13.4	3.7	0.0	0.0
Legacy	45.7	27.6	41.0	0.0	88.2	83.3	0.0	0.0	0.0	0.0	0.0	26.3	33.3	18.7	62.7	0.0	0.0	39.5	62.0	81.4	0.0
Other	5.3	0.0	26.5	34.7	0.0	16.7	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	0.0	0.0	2.5	5.1	0.0	0.0
Robust	0.7	0.0	6.8	0.0	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tradition	39.6	72.4	25.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60.3	51.1	77.2	37.3	100.0	0.0	37.0	27.8	11.1	0.0
% of Malting 6R	100.0	2.0	5.2	0.4	4.4	0.6	0.0	0.0	0.0	0.0	0.0	11.9	16.1	9.3	1.5	0.1	0.0	21.2	15.6	11.6	0.0

Feed Barley -- Two-Row

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
Bridge	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CDC Bold	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CDC Coalition	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.9	0.0	0.0	0.0	0.0	0.0	37.1	0.0	0.0	0.0
CDC Cowboy	12.1	0.0	29.8	0.0	22.5	0.0	0.0	2.9	6.5	0.0	0.0	6.5	0.0	52.6	0.0	17.4	9.2	25.9	0.0	10.2	11.9
CDC Dolly	4.4	32.4	51.8	0.0	13.0	0.0	0.0	7.1	3.1	5.8	17.9	0.0	4.7	0.0	3.5	0.7	0.0	4.2	0.0	1.5	11.2
CDC Helgason	2.6	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	0.0	0.0	36.2	17.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CDC Thompson	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CDC Trey	3.2	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	8.3	5.9	0.0	0.0	0.0	0.0	12.4	0.0	44.8	0.0
Conlon	24.7	0.0	18.4	0.0	0.0	0.0	0.0	21.6	42.1	68.2	40.2	0.0	16.5	0.3	42.1	35.9	53.8	0.0	0.0	0.6	0.0
Mcleod	2.7	0.0	0.0	0.0	0.0	0.0	0.0	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other	4.7	0.0	0.0	12.8	38.0	0.0	44.4	1.1	1.4	0.0	1.2	0.0	0.0	0.0	13.6	0.0	7.0	0.0	0.0	3.9	5.0
Ponoka	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Xena	42.3	67.6	0.0	87.2	22.2	100.0	46.2	42.2	43.7	18.5	40.6	35.1	23.5	47.1	40.7	46.1	30.0	20.5	100.0	39.0	71.9
% of Feed Barley 2R	100.0	0.4	1.3	1.4	3.3	0.5	4.1	10.8	15.8	5.9	2.9	5.1	2.0	7.3	3.4	20.2	2.3	2.8	1.1	4.8	4.5

Saskatchewan - 2009 Percent of seeded acres by crop reporting district



Feed Barley -- Six-Row

Variety	% of Saskatchewan	1A	1B	2A	2B	3AN	3AS	3BN	3BS	4A	4B	5A	5B	6A	6B	7A	7B	8A	8B	9A	9B
AC Lacombe	3.2	0.0	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	0.0	17.9
AC Ranger	27.9	100.0	18.1	0.0	0.0	0.0	0.0	0.0	100.0	100.0	0.0	17.6	87.3	1.6	100.0	94.2	0.0	0.0	10.7	26.9	0.0
AC Rosser	31.6	0.0	70.8	0.0	0.0	100.0	0.0	100.0	0.0	0.0	0.0	61.6	12.7	13.8	0.0	0.0	0.0	100.0	53.4	0.0	70.7
Brier	12.5	0.0	0.0	0.0	8.7	0.0	100.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	49.6	0.0	22.9	6.6	0.0
CDC Earl	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	0.0	51.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other	3.8	0.0	6.7	0.0	34.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	5.8	0.0	0.0	6.1	46.4	0.0
Sundre	8.3	0.0	0.0	0.0	56.5	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	21.5	0.0	0.0	38.4	0.0	0.0	0.0	6.7
Virden	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	0.0	0.0	12.0	0.0	0.0	20.1	4.7
% of Feed Barley 6R	100.0	4.2	7.0	0.0	1.1	0.9	3.8	1.4	7.6	1.8	5.1	10.6	3.7	17.4	1.9	4.3	3.9	1.8	6.1	3.3	13.9